ELSEVIER

Gene Structure and Expression

Vol. 1260, 1995

BBA Biochimica et Biophysica Acta

Cumulative Contents

Information for Contributors *vii*

Review

Chromatin and nuclear assembly: experimental approaches towards the reconstitution of transcriptionally active and silent states
S. Dimitrov and A.P. Wolffe (USA) 1

Regular Papers

Baculovirus expression of human basic fibroblast growth factor from a synthetic gene: role of the Kozak consensus and comparison with bacterial expression
D. Hills and C. Crane-Robinson (UK) 14

Regulation of mammalian *S*-adenosylmethionine decarboxylase as studied in a transient expression system
F. Svensson and L. Persson (Sweden) 21

High level expression of human leukemia inhibitory factor (LIF) from a synthetic gene in *Escherichia coli* and the physical and biological characterization of the protein
B.B. Samal, T. Arakawa, T.C. Boone, T. Jones, S.J. Prestrelski, L.O. Narhi, J. Wen, G.W. Stearns, C.A. Crandall, J. Pope and S. Suggs (USA) 27

Topoisomerase I is differently phosphorylated in two sublines of L5178Y mouse lymphoma cells
K. Staron, B. Kowalska-Loth, J. Zabek, R.M. Czerwinski, K. Nieznanski and I. Szumiel (Poland) 35

Recombination of endogenous D_2 dopamine receptor gene with a metallothionein promoter in GH4C1 cells confers functional and inducible D_2 response
S. Allard, M. Labbé and P. Falardeau (Canada) 43

Molecular cloning and functional expression of a cDNA for mouse squalene synthase
T. Inoue, T. Osumi and S. Hata (Japan) 49

Identification of two splice isoforms of mRNA for mouse hepatocyte nuclear factor 4 (HNF-4)
S. Hata, T. Inoue, K. Kosuga, T. Nakashima, T. Tsukamoto and T. Osumi (Japan) 55

Cloning and expression of two mRNAs encoding structurally different crustacean hyperglycemic hormone precursors in the lobster *Homarus americanus*
D.P.V. De Kleijn, E.P.H. De Leeuw, M.C. Van den Berg, G.J.M. Martens and F. Van Herp (The Netherlands) 62

Structural organization of the gene for CD40 ligand: molecular analysis for diagnosis of X-linked hyper-IgM syndrome
M. Shimadzu, H. Nunoi, H. Terasaki, R. Ninomiya, M. Iwata, S. Kanegasaka and I. Matsuda (Japan) 67

Repression of transient expression by DNA methylation in transcribed regions of reporter genes introduced into cultured human cells
J.-i. Komura, T. Okada and T. Ono (Japan) 73

Site-directed mutagenesis of the M13 gene 5 protein: the role of Arg-21, Tyr-26 and Tyr-41
G.P. Turner and G.G. Kneale (UK) 79

Dielectric studies of ion fluctuation and chain bending in native DNA
S. Bone and C.A. Small (UK) 85

Short Sequence-Papers

The *SMS1* gene encoding a serine-rich transmembrane protein suppresses the temperature sensitivity of the *htr1* disruptant in *Saccharomyces cerevisiae*
J. Takeuchi, M. Okada, A. Toh-e and Y. Kikuchi (Japan) 94

Cloning and expression of human tyrosine aminotransferase cDNA
G.-E. Séralini, V. Luu-Thé and F. Labrie (Canada, France) 97

Cloning and expression of the axolotl proto-oncogene ski
D.C. Ludolph, A.W. Neff, M.A. Parker, A.L. Mescher, R.C. Smith and G.M. Malacinski (USA) 102

Human *N*-methyl-D-aspartate receptor modulatory subunit hNR3: cloning and sequencing of the cDNA and primary structure of the protein
S.-L. Adams, R.L. Foldes and R.K. Kamboj (Canada) 105

Cloning and expression analysis of a cytochrome $P\text{-}450_{11\beta}$ cDNA in sheep
W.C. Boon, P.J. Roche, V.E. Hammond, K.

Jeyaseelan, R.J. Crawford and J.P. Coghlan (Australia, Singapore) 109
The primary structure of rat ribosomal protein L22
Y.-L. Chan and I.G. Wool (USA) 113
Characterization of a bovine mammary gland PP3 cDNA reveals homology with mouse and rat adhesion molecule GlyCAM-1
L.B. Johnsen, E.S. Sørensen, T.E. Petersen and L. Berglund (Denmark) 116
Molecular cloning of a maize cDNA clone encoding a putative proliferating cell nuclear antigen
I. López, S. Khan, J. Vázquez-Ramos and P.J. Hussey (UK, México) 119

Regular Papers

Use of denaturing gradient electrophoresis to determine the distributions of polymorphisms in entire genes in natural populations
G. Mickey, J. Sim, J. Durand and C. Wills (USA) 123
Histones associated with single-stranded DNA do not preclude the formation of double-helical DNA
X. Fernandez-Busquets and J.-R. Daban (Spain) 132
Cloning of cDNAs encoding argininosuccinate lyase and arginase from *Rana catesbeiana* liver and regulation of their mRNAs during spontaneous and thyroid hormone-induced metamorphosis
K. Iwase, K. Yamauchi and K. Ishikawa (Japan) 139
Derivation and partial analysis of two highly active myeloma cell transfectants
T.M. Harrison, K. Hudson, S.E. Munson, S. Uff and S. Glassford (UK) 147
Expression of the axolotl homologue of mouse chaperonin *t*-complex protein-1 during early development
H.B. Sun, A.W. Neff, A.L. Mescher and G.M. Malacinski (USA) 157
Effects of oxidants and antioxidants on nuclear factor κB activation in three different cell lines: evidence against a universal hypothesis involving oxygen radicals
P. Brennan and L.A.J. O'Neill (Ireland) 167
Mechanism of regulation of PDGF-A chain gene expression by serum and TPA
Y. Takimoto and A. Kuramoto (Japan) 176
Determination of the single strand origin of *Shigella sonnei* plasmid pKYM
K.-I. Kodaira, M. Oki, A. Taketo, H. Yasukawa and Y. Masamune (Japan) 183
Comparative studies on the minus origin mutants of *Escherichia coli* spherical single-stranded DNA phages
K.-I. Kodaira, N.G. Godson and A. Taketo (Japan, USA) 191
Effect of oxidizing agents and haemin on the phosphorylation of eukaryotic elongation factor 2 in rabbit reticulocyte lysates
A. Nilsson and O. Nygård (Sweden) 200
Differential compaction of transcriptionally competent and repressed chromatin reconstituted with histone H1 subtypes
S. Nagaraja, G.P. Delcuve and J.R. Davie (Canada) 207

Short Sequence-Papers

Cloning and sequencing a putative pyrophosphate-dependent phosphofructokinase gene from *Entamoeba histolytica*
M. Huang, R.A. Albach, K.-P. Chang, R.L. Tripathi and R.G. Kemp (USA) 215
Primary sequence of a putative pyrophosphate-linked phosphofructokinase gene of *Giardia lamblia*
C. Rozario, M.W. Smith and M. Müller (USA) 218
Nucleotide sequence of the gene for ribosomal protein S17 from *Dictyostelium discoideum*
A. Bäuerle and R. Mutzel (Germany) 223
Characterization of edg-2, a human homologue of the *Xenopus* maternal transcript G10 from endothelial cells
T. Hla, A.Q. Jackson, S.B. Appleby and T. Maciag (USA) 227
Intron encoded small nucleolar RNAs: new RNA sequence variants and genomic loci
N. Selvamurugan, M.K. Nag and G.L. Eliceiri (USA) 230
Nucleotide sequence and expression of the porcine vascular endothelial growth factor
H.S. Sharma, Z.H. Tang, B.C.G. Gho and P.D. Verdouw (The Netherlands) 235

Rapid Report

Relative abundance of bovine Hsp70 mRNA and protein
J.A. Gutierrez and V. Guerriero Jr. (USA) 239

Corrigendum 243

Regular Papers

Cloning and expression of the gene of hemocytin, an insect humoral lectin which is homologous with the mammalian von Willebrand factor
E. Kotani, M. Yamakawa, S.-i. Iwamoto, M. Tashiro, H. Mori, M. Sumida, F. Matsubara, K. Taniai, K. Kadono-Okuda, Y. Kato and H. Mori (Japan) 245

A monoclonal antibody generated against a recombinant peptide fragment of the B3 domain of carcinoembryonic antigen reacts with intact carcinoembryonic antigen
G. Hagendorff, J. Hanes, H. Von der Kammer and K.H. Scheit (Germany) 259

The α-subunit mRNAs for G_s and G_{o2} are differentially regulated by protein kinase A and protein kinase C in rat Sertoli cells
K.A. Taskén, F.W. Jacobsen, L. Eikvar, V. Hansson and T.B. Haugen (Norway) 269

Induction and processing of promutagenic O^4-ethylthymine lesion in specific gene segments of plasmid DNA
J. Musarrat, J. Arezina, S. Uddin and A.A. Wani (USA) 276

Isolation and molecular cloning of human sorcin a calcium-binding protein in vincristine-resistant HOB1 lymphoma cells
S.-L. Wang, M.-F. Tam, Y.-S. Ho, S.-H. Pai and M.-C. Kao (Taiwan, ROC) 285

Effect of the 3′-untranslated region on the expression levels and mRNA stability of α1(I) collagen gene
A. Määttä, E. Ekholm and R.P.K. Penttinen (Finland) 294

Regulation of melanotransferrin gene in melanoma cells. Analysis of the enhancer region
A. Rozé, M.M. Zakin and N. Duchange (France) 301

DNA binding activity of the glucocorticoid receptor is sensitive to redox changes in intact cells
F. Esposito, F. Cuccovillo, F. Morra, T. Russo and F. Cimino (Italy) 308

Short Sequence-Papers and Promoter Paper

Isolation and expression during pollen development of a tobacco cDNA clone encoding a protein kinase homologous to shaggy/glycogen synthase kinase-3
E. Einzenberger, N. Eller, E. Heberle-Bors and O. Vicente (Austria) 315

Mouse sepiapterin reductase: an enzyme involved in the final step of tetrahydrobiopterin biosynthesis. Primary structure deduced from the cDNA sequence
A. Ota, H. Ichinose and T. Nagatsu (Japan) 320

Sequence analysis and exclusion of phosducin as the gene for the recessive retinal degeneration of the abyssinian cat
M.B. Gorin, A.C. To and K. Narfstrom (USA, Sweden) 323

Nucleotide sequence and peptide motifs of mouse uromodulin (Tamm-Horsfall protein) – the most abundant protein in mammalian urine
K. Prasadan, J. Bates, A. Badgett, M. Dell, V. Sukhatme, H. Yu and S. Kumar (USA) 328

Molecular cloning of a human complementary DNA encoding an initiation factor 2-associated protein (p^{67})
X. Li and Y.-H. Chang (USA) 333

Characterization of the cDNA and three processed pseudogenes from the murine protein kinase CK2 α subunit
U. Hoffmann, R. Hecht, B. Boldyreff and O.-G. Issinger (Germany) 337

A novel CYP3 gene from female rats
D. Strotkamp, P.H. Roos and W.G. Hanstein (Germany) 341

Nucleotide sequence of a cDNA for mouse squalene epoxidase
K. Kosuga, S. Hata, T. Osumi, J. Sakakibara and T. Ono (Japan) 345

Several splicing variants of *isl-1* like genes in the chinook salmon (*Oncorhynchus tschawytscha*) encode truncated transcription factors containing a complete LIM domain
Z. Gong and C.L. Hew (Canada) 349

The 3′-untranslated region of rat lysyl oxidase cDNA
P.C. Trackman, E.J. Feres-Filho and Y.-J. Choi (USA) 355

Cloning, sequence analysis, and expression of a mouse cDNA encoding cytochrome *c* oxidase subunit VIa liver isoform
L.I. Grossman, N.H. Rosenthal, M. Akamatsu and R.P. Erickson (USA) 361

Nucleotide sequence of the 5′-flanking region of the rat type II hexokinase gene
J. Ichihara, Y. Shinohara, K. Kogure and H. Terada (Japan) 365

Rapid Report

Determination of the molecular lesions associated with loss-of-function *transformer* alleles of *Drosophila melanogaster*
X. Yuan and J.M. Belote (USA) 369

Cumulative Contents, Vol. 1260 371

Author Index 374